

Indian medicinal plants used as immunomodulatory agents: A review

Manda Ram Mohan, Garige Baba Shankar Rao, Boggula Narender, Chettupalli Ananda Kumar, Pragada Venkateswara Rao, Vasudha Bakshi

Department of Pharmacognosy and Phytochemistry, School of Pharmacy, Anurag Group of Institutions, Ghatkesar, Telangana, India

Abstract

India is a country with rich biodiversity and enormous treasure of medicinal plants and consequently called as medicinal garden of the world, many indigenous systems such as Ayurveda, Yoga, Unani, Homeopathy, Naturopathy, and Siddha are well-known and practiced in India from decades. A large number of Indian medicinal plants have been reported to possess immunostimulant activity and thus can serve as potential source of drug in various immunocompromised states such as AIDS, cancer, and for treatment of various chronic infections. At present, there is much-growing interest in the use of these medicinal plants as modulators of the complex immune system. Many therapeutic effects of plant extracts have been suggested to be due to their wide array of immunomodulatory effects and influence on the immune system of the human body. Phytochemicals such as flavonoids, lactones, alkaloids, and glycosides, present in several plants, have been reported to be responsible for the plant's immunomodulating properties. Thus, the search for natural products of plant origin as new leads for the development of potent and safe immunosuppressant and immunostimulant agents is gaining much major research interest. Keeping in mind, the tremendous potential of the medicinal plants and their derived drugs, this review also discusses biological screening methods for various plant drugs that focus on revealing the mechanism involved in immunomodulation. This review further focuses on the various medicinal plants available in India used to enhancement and suppresses of impaired immune system under unfavorable conditions.

Key words: Immune system, immunomodulatory, immunosuppressive, Indian medicinal plants

INTRODUCTION

Modulation of immune functions using medicinal plants and their products as a possible therapeutic measure has become an accepted therapeutic approach. Plants and minerals have been used since ancient times for the treatment of many ailments and diseases. It is now being recognized that immunomodulation of immune response could provide an alternative to conventional chemotherapy for a variety of disease conditions, especially when the host's defense mechanism has to be activated under conditions of impaired immune responsiveness or when a selective immunosuppressant has to be induced in situation such as autoimmune disorders and organ transplantation. Immunity is a homeostatic process, a series of delicately balanced complex, multicellular and physiologic mechanisms that allow an individual to distinguish foreign material from "self" and neutralize and/or eliminate the foreign matter.^[1]

CLASSIFICATION OF IMMUNOMODULATORS

The immune system is a complex system, involving an interwoven network of biochemical mechanisms. The modulation of immune response by various agents to alleviate the disease has been of interest since many years, to modulate and potentiate the weapons of your immune system keeping them in a highly prepared state for any threat it may encounter. With this balancing effect, all subsequent immune responses improve. When your immune system

Address for correspondence:

Dr. Manda Ram Mohan, Department of Pharmacognosy and Phytochemistry, School of Pharmacy, Anurag Group of Institutions, Venkatapur, Ghatkesar- 500 088, Telangana, India. Phone: +91-9989427087. E-mail: rammohanpharmacy@cvsr.ac.in

Received: 31-10-2018

Revised: 15-04-2019

Accepted: 02-06-2019

is in this highly prepared state, the invading organisms do not have the time to build up force and strength before the immune system attack destroys and/or weakens the invader. Immunomodulation is the process of modifying an immune response in a positive or negative manner by administration of a drug or compound. Many proteins, amino acids, and natural compounds have shown a significant ability to regulate immune responses including interferon- γ (IFN- γ) and steroids. These substances, which can stimulate, suppress, or modulate any of the immune system, including both adaptive and innate arms of the immune response. Clinically, immunomodulators can be classified into the following three categories.^[2]

IMMUNOADJUVANTS

These agents are used to enhance the efficacy of vaccines and, therefore, could be considered specific immunostimulants. Immunoadjuvants hold the promise of being the true modulators of the immune response.^[3]

IMMUNOSTIMULANTS

These are inherently non-specific as they are envisaged as enhancements to a body's resistance to infection. They can act through innate as well as adaptive immune responses. In healthy individuals, the immunostimulants are expected to serve as prophylactic and promoter agents, i.e., as immunopotentiators, by enhancing the basic level of immune response. In the individual with impairment of immune response, they are expected to act as immunotherapeutic agents.^[4]

IMMUNOSUPPRESSANTS

These are a structurally and functionally heterogeneous group of drugs, which are often concomitantly administered in combination regimens to treat various types of organ transplant rejection and autoimmune diseases.^[5]

METHODS FOR TESTING IMMUNOLOGICAL FACTORS

The routine process for screening is to extract single ingredient or single distilled fraction from herbal drugs, determine its bioactivity by the classic pharmacological means. The whole animal model is the most classic pharmacological screening model, which is very important at the aspect of medicine evaluation because it can apparently respond to the efficacy, side effect, and toxicity of medicines in whole. Although this method is high cost and low efficient, at present, it is still a primary way to drug discovery and evaluation. Several *in vitro* and *in vivo* methods of pharmacological

screening of medicinal plants having immunomodulatory activity have been reported.^[6]

In Vitro Methods

1. Inhibition of histamine release from mast cells
2. Mitogens induced lymphocyte proliferation
3. Inhibition of T-cell proliferation
4. Chemiluminescence in macrophages
5. Plaque-forming colony test
6. Inhibition of dihydroorotate dehydrogenase.

In Vivo Methods

1. Spontaneous autoimmune diseases in animals
2. Acute systemic anaphylaxis in rats
3. Anti-anaphylactic activity (Schultz-Dale reaction)
4. Passive cutaneous anaphylaxis
5. Arthus type immediate hypersensitivity
6. Delayed-type hypersensitivity
7. Reversed passive Arthus reaction
8. Adjuvant arthritis in rats
9. Collagen type II-induced arthritis in rats
10. Proteoglycan-induced progressive polyarthritis in mice
11. Experimental autoimmune thyroiditis
12. Coxsackievirus B3-induced myocarditis
13. Porcine cardiac myosin-induced autoimmune myocarditis in rats
14. Experimental allergic encephalomyelitis
15. Acute graft versus host disease in rats
16. Influence on SLE-like disorder in MRL/lpr mice
17. Prevention of experimentally induced myasthenia gravis in rats
18. Glomerulonephritis induced by anti-basement membrane antibody in rats
19. Autoimmune uveitis in rats
20. Inhibition of allogeneic transplant rejection.^[7-10]

The list of Indian plants having immunomodulatory activity is summarized in Table 1.

CONCLUSION

Modulation of the immune responses through the stimulatory or suppressive activity of a phytoextract may help maintain a disease-free state in normal or unhealthy people. Agents that activate host defense mechanisms in the presence of an impaired immune response can provide supportive therapy to conventional chemotherapy. This article will give an overview of the important medicinal plants having immunomodulatory activities, which can provide an alternative to conventional chemotherapy for a variety of diseases, especially when host defense mechanism has to be impaired under the conditions of impaired immune responses when a selective immunosuppression is desired in situation like autoimmune

Table 1: List of Indian medicinal plants having immunomodulatory activity^[11-65]

Plant name	Tissue	Chemical constituents	Model used
<i>Acacia catechu</i> Willd.	Leaf	Tannins and flavonoids	Neutrophil adhesion and carbon clearance test
<i>Acanthopanax sessiliflorus</i> (Rupr. and Maxim.)	Shoots and roots	Biopolymers	Lymphocyte-proliferating effects
<i>Artemisia annua</i> Linn.	Herb	Artemisinin	DTH and lymphocytic proliferation assay
<i>Achillea millefolium</i> C. Koch	Leaves	Flavonoids, alkaloids, and coumarins	DTH, hemagglutination
<i>Aloe vera</i> Tourn. ex Linn.	Gel from leaves	Anthraquinone glycosides	Hematological, serological studies
<i>Allium sativum</i>	Bulbs	Allicin	Hemagglutination
<i>Aesculus indica</i>	Leaf	Alkaloids, saponins, and tannins	Neutrophil index, neutrophil adhesion
<i>Andrographis paniculata</i> Nees	Leaves	Diterpenes	DTH mouse model
<i>Asparagus racemosus</i> Wild.	Roots	Saponins and sitosterols	SRBC-sensitized animals
<i>Argyreia speciosa</i>	Roots	Glycosides	Cellular and humoral immunity DTH reaction
<i>Abutilon indicum</i> Linn.	Whole plant	Flavonoids and triterpenoids	HA titer, DTH response, neutrophil adhesion test, and carbon clearance test
<i>Abrus precatorius</i>	Seeds	Alkaloids, phenolics, tannins, and saponins	HA titer, DTH response, PI
<i>Adhatoda vasica</i> Linn.	Leaves	Quinazoline vasicinone and essential oils	Neutrophil adhesion, DTH
<i>Azadirachta indica</i>	Flowers	Azadirachtin	Antibody titer phagocytic activity, nitro blue tetrazolium dye, and DTH reaction
<i>Bauhinia variegata</i> Linn.	Root and bark	Flavonoids, β -sitosterol, and lupeol	Human neutrophils
<i>Boerhaavia diffusa</i>	Herb	Alkaloids	Circulating antibody titer
<i>Balanites roxburghii</i>	Leaf	Alkaloids, flavonoids, tannins, and saponins	Carbon clearance test and serum immunoglobulin
<i>Chlorophytum borivilianum</i>	Roots	Polysaccharides	Phagocytosis using carbon clearance method
<i>Cleome gynandra</i> Linn.	Leaf, seeds, and roots	Hexacosanol and kaempferol	Carbon clearance test, DTH, antibody titer
<i>Calendula officinalis</i> L.	Flowers	Polysaccharides, proteins, and fatty acids	Phagocytosis
<i>Centella asiatica</i> Linn.	Herb	Triterpenoid saponins	Cell-mediated and humoral immune responses
<i>Clitoria ternatea</i> (Linn.)	Aerial parts	β -sitosterol and kaempferol	DTH, antibody, drug-induced myelosuppression
<i>Curcuma longa</i>	Rhizome	Curcumin	Humoral antibody response to SRBC
<i>Citrus aurantifolia</i>	Fruits	Volatile oils	Cell proliferation assay and immunoblotting
<i>Capparis zeylanica</i>	Leaf	Flavonoids	Phagocytosis, delayed hypersensitivity
<i>Cissampelos pareira</i>	Roots	Alkaloids	Humoral antibody titer
<i>Caesalpinia bonducella</i>	Seeds	Flavonoids, alkaloids, tannins, and amino acids	Neutrophil adhesion test and HA
<i>Cleome gynandra</i>	Aerial parts	Flavonoids, alkaloids, terpenoids, and steroids	Carbon clearance method, cell-mediated immunity, immunostimulatory

(Contd...)

Table 1: (Continued)

Plant name	Tissue	Chemical constituents	Model used
<i>Eclipta alba</i> L.	Leaves	Triterpenoid glycosides	Phagocytic index and antibody titer
<i>Euphorbia hirta</i> Linn.	Herb	Quercitol, myricitrin, and gallic acid	Phagocytic index
<i>Ficus carica</i>	Leaf	Phenolic compound, phytosterol, and volatile oils	Cellular immune response and humoral antibody response
<i>Ficus benghalensis</i>	Root	Alkaloids, steroids, flavonoids, and tannins	Hypersensitivity and hemagglutination reactions.
<i>Ganoderma lucidum</i> (Fr.) P. Karst	Whole plant	Flavonoids, triterpenes, and polysaccharides	Proliferation of lymphocytes
<i>Gymnema sylvestre</i>	Leaves	Alkaloids, tannins, and flavonoids	Neutrophil locomotion and chemotaxis test
<i>Habenaria intermedia</i>	Tubers	Alkaloids and phenolic compounds	DTH test, carbon clearance test for phagocytic activity
<i>Hyptis suaveolens</i> (L.) Poit. (Lamiaceae)	Leaf and flowers	Lupeol and β -sitosterol	Humoral immune response and lipid peroxide enzyme
<i>Hibiscus rosa-sinensis</i>	Flowers	Alkaloids, flavonoids, terpenoids, and tannins	Carbon clearance method, cell-mediated immunity, immunostimulatory
<i>Lycium barbarum</i> Linn.	Fruits	Polysaccharide-protein complexes	HA PI lymphocytic proliferation
<i>Moringa oleifera</i> L.	Leaves	Vitamin A, B, C, carotenoids, and saponins	DTH test neutrophil adhesion, HA
<i>Morus alba</i> Linn.	Fruits, leaves, and bark	Flavonoids, anthocyanins	Humoral immunity, serum immunoglobulin
<i>Murraya koenigii</i> (L.) Spreng.	Leaves	Coumarins, carbazole alkaloids, glucoside	PI, nitric acid assay, humoral antibody, DTH reaction
<i>Mangifera indica</i>	Stem bark	Alkaloids, tannins, and flavonoids	Humoral antibody response to SRBC
<i>Nyctanthes arbortristis</i>	Leaf	Iridoid glucosides	Humoral immunity, DTH
<i>Ocimum sanctum</i> Linn.	Entire plant	Essential oils such as eugenol, carvacrol, derivatives of ursolic acid, apigenin	Enhance the production of RBC, WBC, and hemoglobin
<i>Picrorhiza kurroa</i>	Leaf	Alkaloids, flavonoids, tannins, and saponins	Cell-mediated and humoral components
<i>Piper longum</i> L.	Fruits	Alkaloids	HA, PI, macrophage migration index
<i>Panax ginseng</i> Wall.	Fruits and root	Ginsenosides, panaxdiol, panaxtriol, and oleanolic acid	Antibody plaque-forming cell response and circulating antibody titer against sheep erythrocytes
<i>Salacia chinensis</i>	Roots	Flavonoids, tannins, alkaloids, and carbohydrates	HA titer, DTH response
<i>Silybum marianum</i> L.	Flowers	Flavonoids	Macrophage migration index
<i>Salicornia herbacea</i>	Herb	Polysaccharides	Phagocytic activity on opsonized
<i>Syzygium cumini</i>	Seeds	Alkaloids, flavonoids, glycosides, and phytosterols	Carbon clearance method and hemagglutination titer, DTH
<i>Terminalia arjuna</i> Roxb.	Leaves and bark	Flavonoids, oligomeric proanthocyanidins, and tannins	Hemagglutination
<i>Tinospora cordifolia</i> Miers.	Entire herb	Alkaloids	DTH and bone marrow cellularity
<i>Trapa bispinosa</i>	Fruits	Flavonoids, proteins, and carbohydrates	Neutrophils, hemagglutination titer

(Contd...)

Table 1: (Continued)

Plant name	Tissue	Chemical constituents	Model used
<i>Tridax procumbens</i>	Aerial parts	Tannins, flavonoids, alkaloids, and steroids	DTH model
<i>Urena lobata</i> Linn.	Fruits	Flavonoids and glycosides	Phagocytic activity
<i>Withania somnifera</i>	Root	Withanolides	Bone marrow cellularity

DTH: Delayed-type hypersensitivity, RBC: Red blood cell, WBC: White blood cell, SRBC: Sheep red blood cell, HA: Hemagglutination antibody, PI: Phagocytic index

disorders. Only a few plants have been screened for immunomodulatory activities. From the above review, it is evident that there are several medicinal plants which have immunomodulatory activity, but inadequate evidence does not allow their uses in clinical practice. Therefore, there is a need to explore these plants having medicinal significance. From the present review, it should be evident that there are many medicinal plants which exert immunomodulatory activity in experimental models at a particular dose. Different types of screening methods both *in vivo* and *in vitro* have been employed to determine their pharmacological activity. Some medicinal plants may stimulate the immune system and some may suppress the immune response. Furthermore, various secondary metabolites, such as alkaloids, glycosides, saponins, flavonoids, coumarins, and sterols, exhibit a wide range of immunomodulating activity. Only a few plants have been screened for immunomodulatory activities. From this review, it is evident that there are several medicinal plants which have immunomodulatory activity but many more evidences are required to explore them for clinical practice. Therefore, immunomodulatory agents will gain more importance in the future research of herbal medicine due to their high efficacy, low cost, and low toxicity.

REFERENCES

- Kaminski NE, Kaplan BL, Holsapple MP. Toxic responses of the immune system. In: Klassen CD, editor. Casarett and Doull's Toxicology. The Basic Science of Poisons. 7th ed. United States: McGraw-Hill Medical Publishing Division; 2008. p. 485-556.
- Kumar D, Arya V, Kaur R, Bhat ZA, Gupta VK, Kumar V. A review of immunomodulators in the Indian traditional health care system. *J Microbiol Immunol Infect* 2012;45:165-84.
- Billiau A, Matthys P. Modes of action of Freund's adjuvants in experimental models of autoimmune diseases. *J Leukoc Biol* 2001;70:849-60.
- Sethi J, Singh J. Role of medicinal plants as immunostimulants in health and disease. *Ann Med Chem Res* 2015;1:1-5.
- El-Sheikh AL. Renal Transport and Drug Interactions of Immunosuppressants. Thesis. Nijmegen, Netherlands: Radboud University; 2008. p. 62.
- Vogel HG. *Drug Discovery and Evaluations*. 2nd ed. New-York: Springer-Verlang; 2002. p. 775-90.
- Archana, Jatawa S. Indian medicinal plants: A rich source of natural immuno-modulator. *Int J Pharmacol* 2011;7:198-205.
- Venkatalakshmi P, Vadivel V, Brindha P. Role of phytochemicals as immunomodulatory agents. *Int J Green Pharm* 2016;10:1-17.
- Thatte UM, Dahanukar SA. Rasayana concept: Clues from immunomodulatory therapy. In: Upadhyay SN, editor. *Immunomodulation*. New Delhi: Narosa Publishing House; 1997. p. 41-148.
- Singh N, Tailang M, Mehta SC. A review on herbal plants as immunomodulators. *Int J Pharm Sci Res* 2016;7:3602-10.
- Ismail S, Asad M. Immunomodulatory activity of *Acacia catechu*. *Indian J Physiol Pharmacol* 2009;53:25-33.
- Jeong SC, Jeong YT, Yang BK, Song CH. Chemical characteristics and immuno-stimulating properties of biopolymers extracted from *Acanthopanax sessiliflorus*. *J Biochem Mol Biol* 2006;39:84-90.
- Noori S, Naderi GA, Hassan ZM, Habibi Z, Bathaie SZ, Hashemi SM, *et al.* Immunosuppressive activity of a molecule isolated from *Artemisia annua* on DTH responses compared with cyclosporin A. *Int Immunopharmacol* 2004;4:1301-6.
- Sharififar F, Pournourmohammadi S, Arabnejad M. Immunomodulatory activity of aqueous extract of *Achillea wilhelmsii* C. Koch in mice. *Indian J Exp Biol* 2009;47:668-71.
- Mukesh SS, Patil MB, Sharma S, Bhat V. *Aloe vera*: Plant of immortality. *Int J Pharm Sci Res* 2010;1:7-10.
- Clement F, Pramod SN, Venkatesh YP. Identity of the immunomodulatory proteins from garlic (*Allium sativum*) with the major garlic lectins or agglutinins. *Int Immunopharmacol* 2010;10:316-24.
- Chakraborty GS. Evaluation of immunomodulatory activity of *Aesculus indica*. *Int J PharmTech Res* 2009;1:132-4.
- Naik SR, Hule A. Evaluation of immunomodulatory activity of an extract of andrographolides from *Andrographis paniculata*. *Planta Med* 2009;75:785-91.
- Bopana N, Saxena S. *Asparagus racemosus* ethnopharmacological evaluation and conservation needs. *J Ethnopharmacol* 2007;110:1-15.
- Gokhale AB, Damre AS, Saraf MN. Investigations into the immunomodulatory activity of *Argyrea speciosa*.

- J Ethnopharmacol 2003;84:109-14.
21. Dashputre NL, Naikwade NS. Immunomodulatory activity of *Abutilon indicum* Linn. On albino mice. Int J Pharm Sci Res 2010;1:178-84.
 22. Tilwari A, Shukla NP, Pathirissery UD. Immunomodulatory activity of the aqueous extract of seeds of *Abrus precatorius* Linn (Jequirity) in mice. Iran J Immunol 2011;8:96-103.
 23. Vinothapooshan G, Sundar K. Immunomodulatory activity of various extracts of *Adhatoda vasica* Linn. In experimental rats. Afr J Pharm Pharmacol 2011;5:306-10.
 24. Shah AS, Gunjal MA, Juvekar AR. Immunostimulatory activity of aqueous extract of *Azadirachta indica* flowers on specific and non specific immune response. J Nat Rem 2009;9:35-42.
 25. Ghaisas MM, Saikh SA, Deshpande AD. Evaluation of immunomodulatory activity of ethanolic extract of stem bark of *Bauhinia variegata* Linn. Int J Green Pharm 2009;3:70-4.
 26. Mungantiwar AA, Nair AM, Shinde UA, Dikshit VJ, Saraf MN, Thakur VS, *et al.* Studies on the immunomodulatory effects of *Boerhaavia diffusa* alkaloidal fraction. J Ethnopharmacol 1999;65:125-31.
 27. Korek J, Shete RV, Kabra MP, Rachhadiya RM, Attal AR. Immunomodulatory activity of *Balanite roxburghii*. J Pharm Res Health Care 2014;3:63-7.
 28. Thakur M, Bhargava S, Dixit VK. Immunomodulatory activity of *Chlorophytum borivillianum* Sant. F. Evid Based Complement Alternat Med 2007;4:419-23.
 29. Gaur K, Kori ML, Nema RK. Comparative screening of immunomodulatory activity of hydro-alcoholic extract of *Hibiscus rosa-sinensis* Linn. And ethanolic extract of *Cleome gynandra* Linn. Glob J Pharmacol 2009;3:85-9.
 30. Jiménez-Medina E, Garcia-Lora A, Paco L, Algarra I, Collado A, Garrido F, *et al.* A new extract of the plant *Calendula officinalis* produces a dual *in vitro* effect: Cytotoxic anti-tumor activity and lymphocyte activation. BMC Cancer 2006;6:119.
 31. Mali RJ, Hatapakki BC. An *in vitro* study of effect of *Centella asiatica* on phagocytosis by human neutrophils. Int J Pharm Sci Nanotechnol 2008;1:297-302.
 32. Anarthe SJ, Spoorthisudha P, Swetha M, Raju MG. *In vitro* and *in vivo* screening of *Clitoria ternatea* (Linn.) for immunomodulatory activity. Int J ChemTech Res 2017;10:116-25.
 33. Antony S, Kuttan R, Kuttan G. Immunomodulatory activity of curcumin. Immunol Invest 1999;28:291-303.
 34. Gharagozloo M, Ghaderi A. Immunomodulatory effect of concentrated lime juice extract on activated human mononuclear cells. J Ethnopharmacol 2001;77:85-90.
 35. Surendra SA, Saurabh CK, Gokul ST. Studies on immunomodulatory Activity of *Capparis zeylanica* leaf extracts. Int J Pharm Sci Nanotechnol 2010;3:887-92.
 36. Bafna A, Mishra S. Antioxidant and immunomodulatory activity of the alkaloidal fraction of *Cissampelos pareira* Linn. Sci Pharm 2010;78:21-31.
 37. Shukla S, Mehta A, John J, Mehta P, Vyas SP, Shukla S, *et al.* Immunomodulatory activities of the ethanolic extract of *Caesalpinia bonducella* seeds. J Ethnopharmacol 2009;125:252-6.
 38. Jayathirtha MG, Mishra SH. Preliminary immunomodulatory activities of methanol extracts of *Eclipta alba* and *Centella asiatica*. Phytomedicine 2004;11:361-5.
 39. Patil SB, Naikwade NS, Magdum CS. Review on phytochemistry and pharmacological aspects of *Euphorbia hirta* Linn. J Pharm Res Health Care 2009;1:113-33.
 40. Vikas VP, Shandavi CB, Vijay RP. Studies on immunomodulatory activity of *Ficus carica*. Int J Pharm Pharm Sci 2010;2:97-9.
 41. Gabhe SY, Tatke PA, Khan TA. Evaluation of the immunomodulatory activity of the methanol extract of *Ficus benghalensis* roots in rats. Indian J Pharmacol 2006;38:271-5.
 42. Habijanac J, Berovic M, Wraber B, Hodzar D, Boh B. Immunostimulatory effects of fungal polysaccharides from *Ganoderma lucidum* submerged biomass cultivation. Food Technol Biotechnol 2001;39:327-31.
 43. Malik JK, Manvi FV, Nanjwade BK, Alagawadi KR, Sinsh S. Immunomodulatory activity of *Gymnema sylvestre* R. Br. leaves on *in vitro* human neutrophils. J Pharm Res 2009;2:1284-6.
 44. Sahu MS, Sahu RA, Verma A. Immunomodulatory activity of alcoholic extract of *Habenaria intermedia* in mice. Int J Pharm Pharm Sci 2013;5:406-9.
 45. Jain V, Bhagwat D, Jat RC, Bhardwaj S. The immunomodulation potential of *Hyptis suaveolens*. Int J Pharm Res Dev 2005;1:1-6.
 46. Gan L, Zhang SH, Liu Q, Xu HB. A polysaccharide-protein complex from *Lycium barbarum* upregulates cytokine expression in human peripheral blood mononuclear cells. Eur J Pharmacol 2003;471:217-22.
 47. Gupta A, Gautam MK, Singh RK, Kumar MV, Rao CV, Goel RK, *et al.* Immunomodulatory effect of *Moringa oleifera* Lam. Extract on cyclophosphamide induced toxicity in mice. Indian J Exp Biol 2010;48:1157-60.
 48. Bharani SE, Asad M, Dhamanigi SS, Chandrakala GK. Immunomodulatory activity of methanolic extract of *Morus alba* Linn. (mulberry) leaves. Pak J Pharm Sci 2010;23:63-8.
 49. Shah AS, Wakade AS, Juvekar AR. Immunomodulatory activity of methanolic extract of *Murraya koenigii* (L) spreng. Leaves. Indian J Exp Biol 2008;46:505-9.
 50. Makare N, Bodhankar S, Rangari V. Immunomodulatory activity of alcoholic extract of *Mangifera indica* L. In mice. J Ethnopharmacol 2001;78:133-7.
 51. Kannan M, Ranjit SA, Ajith KT, Jegatheswari P, Subburayalu S. Studies on immuno-bioactivities of *Nyctanthes arbor-tristis* (Oleaceae). Afr J Microbiol Res 2007;1:88-91.
 52. Caroline JR, Rama V, Rameshkumar G. Immunomodulatory activity of aqueous extract of *Ocimum sanctum* in rat. Int J Pharm Biomed Res

- 2011;233-8.
53. Sharma ML, Rao CS, Duda PL. Immunostimulatory activity of *Picrorhiza kurrooa* leaf extract. *J Ethnopharmacol* 1994;41:185-92.
 54. Sunila ES, Kuttan G. Immunomodulatory and antitumor activity of *Piper longum* Linn. And piperine. *J Ethnopharmacol* 2004;90:339-46.
 55. Kim MH, Byon YY, Ko EJ, Song JY, Yun YS, Shin T, *et al.* Immunomodulatory activity of ginsan, a polysaccharide of panax ginseng, on dendritic cells. *Korean J Physiol Pharmacol* 2009;13:169-73.
 56. Meeran SM, Katiyar S, Elmets CA, Katiyar SK. Silymarin inhibits UV radiation-induced immunosuppression through augmentation of interleukin-12 in mice. *Mol Cancer Ther* 2006;5:1660-8.
 57. Im SA, Kim K, Lee CK. Immunomodulatory activity of polysaccharides isolated from *Salicornia herbacea*. *Int Immunopharmacol* 2006;6:1451-8.
 58. Mastan SK, Saraseeruha A, Gourishankar V. Immunomodulatory activity of methanolic extract of *Syzygium cumini* seeds. *Pharmacologyonline* 2008;3:895-903.
 59. Gohla SH, Zeman RA, Bogel M, Jurkiewicz E, Schrum S, Haubeck HD, *et al.* Modification of the *in vitro* replication of the human immunodeficiency virus HIV-1 TPSg, a polysaccharide fraction isolated from the *Cupressaceae Thuja occidentalis* L arborvitae. *Haematol Blood Transfus* 1992;35:140-9.
 60. Halder S, Bharal N, Mediratta PK, Kaur I, Sharma KK. Anti-inflammatory, immunomodulatory and antinociceptive activity of *Terminalia arjuna* Roxb bark powder in mice and rats. *Indian J Exp Biol* 2009;47:577-83.
 61. Sinha K, Mishra NP, Singh J, Kanjua SPS. *Tinospora cordifolia*, a reservoir plant for therapeutic applications: A review. *Indian J Tradit Knowl* 2004;3:257-70.
 62. Samir P, David B, Otilia JF, Patel MM, Shah KK. Scrutinizing the role of aqueous extract of *Trapa bispinosa* as an immunomodulator in experimental animals. *Int J Res Pharm Sci* 2010;1:13-9.
 63. Agarwal S, Khadase S, Talele G. Bioactive immunomodulatory fraction from *Tridax procumbens*. *Asian J Biol Sci* 2010;3:120-7.
 64. Rinku M, Prasanth VV, Parthasarathy G. Immunomodulatory activity of the methanolic extract of *Urena lobata* Linn. *Int J Pharmacol* 2008;7:14.
 65. Davis L, Kuttan G. Immunomodulatory activity of *Withaniasomnifera*. *J Ethnopharmacol* 2000;71:193-200.

Source of Support: Nil. **Conflict of Interest:** None declared.